

# Brunel Class Sail-Away

Alvechurch Marina

£59,950

A brand new 58ft sail-away shell which can be fitted out to any stage to your own specification

This is a great opportunity to purchase a newly built narrowboat as a sail-away ready to be fitted out to your own specification.

The Brunel Class by Crafted Boats is a 58 foot shell already fitted with a Barrus Shire 43hp engine and running gear. Ballasted and insulated with expanding foam and fitted with windows, doors and ventilators as a weatherproof sail-away.

The hull is bitumen coated to the top rubbing strake as is the internal bilge for protection. The topsides are primed and painted in a single colour two pack gloss paint with a single coach line. Slip resistant finish is applied to all decks, gunwales and roof.

A bow thruster tube is fitted.

Other configurations will be available.

To start your new adventures on the waterways, please contact Alvechurch Marina on 0121 445 1133.

# Additional information

The attached layout is a suggested configuration given the window spacing

# Scan the QR code to view online






Overall length	58 feet
Beam	6 feet 10 inches
Draft	2 feet
Headroom	
No. of berths	
Style of stern	Cruiser
BSS certificate expiry	
Built	In 2024 by Crafted Boats Ltd
Fitout	
Base	Steel 10mm
Hull	Steel 6mm
Cabin	Steel 5mm / 4mm
Engine	Barrus Shire 43
Gearbox	PRM 150 D2









#### Brunel class Sail away stage

Hull and Cabin steelwork

Hull and Cabin steels Length 17.67 metres (58t) 17.67 metres (58t) 20° Beam 2.08 metres (6ft 20°) Bottom Plates 10mm. Hull Sides 6mm. Cabin sides 5mm Decks 5mm

Roof 4mm with 75mm curvature

Decks Simm

Blood Amm with 75mm curvature.

Bludsheads Amm

Bludsheads Amm

Bludsheads Amm

Bludsheads Amm

Bludsheads Amm

Blace Plater Framing: 100 x 50 x 6mm angle (nominal 200mm centres)

Knees and stringers 60 x 60 x 6mm angle (nominal 200mm centres)

Bludsheads Somm x 12mm convex - three at bow, three at stem including one full length – all fully welled top & bottom.

Blood Transfer to the fired with lift out box.

Dieself Trank Integral with hull. Main tank: nominal capacity 250 ltr. Pressure tested with vent and flame guard fixed.

Wired Hasch-Culick release type.

Bludder and Bluffer-Somm dia. stock with tapened top, single both fitting. Balanced blade. Swans neck

38mm dia. With chrone / wooden extension.

Witter tank-Integral below self-dirating well deck. Minimum capacity 450 ltr. Chrome water filler. Formsraf locker with hinged steel hatch.

Bow cockpit lockers fitted on port & starboard sides.

Bow Fender- Rope V bow fender not supplied.

Stem Render- Rope Tipcat & button fenders.

Stem Render- Rope Tipcat & button fenders.

Engline bay hatches Hinged steel with lifting handle.

Supplied (Cylinder (Cylinder on supplied))

Sundiries
Bow tee stud, stern dollies x 2, centre roof ring. Tee section handrall. Steel taff rall. Steel boat pole
and plank retainers. Horn and LED tunnel light fitted, 4 x 2 8kg anodes.

Bullast concrete paying slabs placed on base plate as required by design and trim.

Windows and Doors

Matt black powder coating aluminium, single glazed, clamp-in windows to be fitted. Obscure glass in bathroom compartment. Bow, stern and swan cabin doors to be folded steel with welded hinges. Bow doors with fixed single glazing, folded steel sliding hatch at stern.





Engine
A Barrus Shire 43 Marine inboard diesel engine with PRM 15002 gearbox matched to a suitable
propeller. The installation will include: - keel cooling, R.R.D. coupling, flexible mounts, Hospital
silencer, I x 95ah starter batteries and 1 x 110ah system batteries, manufacturer control panel. A
stern tube lubricator and bilge pump and a single lever engine control will also be fitted.

#### The Interior

Linings Floors are laid in 18mm. (treated) Far Eastern plywood laid on treated bearer.

Insulation
Treated timber battens fitted and the internal hull sides, cabin sides and coach noof coated with flame retardant spray foam insulation (nominal 25mm thickness).

Ventilation 3 mushroom vents and 2 low lever bilge vents

Fainting
The external hull sides will be coated with bitumen coating up to the top rubbing strake. The internal cabin bilge will be pointed with bitumen. All external surfaces will be primed and finished with two-pack gloss finishes. Slip resistant finish to decks, gunwales, and coach roof. Single coachline.

Safety and Navigation Equipment Bow and stern fenders will be fitted, and three mooring lines supplied.

12-months warranty at point of sale Can be taken to any build stage.

£59,950.00 inclusive of vat

2





#### General

#### General

Name	Brunel Class Sail-Away
BW index number	
Safety certificate	NO
BSS certificate expiry	
BSS certificate number	
Built	In 2024 by Crafted Boats Ltd
Location	Alvechurch Marina
Price	£59,950

#### **Berths**

No. of Berths	
Double beds	
Double beds (temp)	
Single beds	
Single beds (temp)	

#### Size

Overall length	58 feet
Overall beam	6 feet 10 inches
Overall draft	2 feet
Style of stern	Cruiser

### **Structure**

# Manufacturer

Manufacturer	Crafted Boats Ltd
Hull ID No.	
Build date	2024

# Original steel thickness

Base	10mm
Hull	6mm
Cabin	5mm / 4mm

# Anodes

Fitted	YES
Date fitted	2024
Size	2.8Kg
No. of anodes	4

# Material

Base	Steel
Hull	Steel
Cabin side	Steel
Roof	Steel

# Hull blacking

Last hull blacking	Feb 2024
Where	Crafted Boats Ltd





# Running gear

# Engine

Make	Barrus
Model	Shire 43
Year	2024
Fuel	Diesel
Cooling	Keel
Hours	
Last serviced date	
Last serviced by	

### Gearbox

Make	PRM
Model	150 D2
Year	
Reduction	
Coupling	R&D
Shaft diameter	1 1/2"
Propellor size	

# **Capacities**

Fuel	250 Litres (approx)
Water	450 Litres (approx)
Gas type	

No. of gas cylinders	
Gas cylinder size	

### Interior

### Fitted

Fitted by	
Date fitted	

# Materials used

Floor	
Hull sides	
Cabin sides	
Deckhead	
Bulkheads	
Fittings	





# **Equipment**

# In the galley

Cooker type	
Cooker model	
Fridge type	
Fridge model	
Other	

# Heating

Туре	
Make	
Model	
Fuel	
Other remarks	

### Hot water

Туре	
Make	
Model	
Fuel	
Other remarks	
Additional heating	

#### In the bathroom

Bath	
Shower	
Hip bath	
Basin	
Toilet type	
Toilet make	
Toilet model	
Toilet tank capacity	
Toilet remarks	

# Electrical systems

DC voltage	12v
No. of batteries (start)	1
No. of batteries (domestic)	1
Split charging	
Other	

### 240 volt electrical systems

Inverter make	
Inverter rating	
Generator make	
Generator rating	
Shoreline	NO
Other	

### Other

#### Additional information

The attached layout is a suggested configuration given the window spacing

